

AMENDMENTS TO THE CLAIMS

Claim 1 (Currently Amended) An image enlarging apparatus comprising:
an imaging means for outputting a photographed image of a subject, wherein a vertical line count and a horizontal line count of the ~~output~~ photographed image are greater than a vertical line count and a horizontal line count of a television format;
an image cropping means for receiving the photographed image output from said imaging means, for cropping the photographed image, and for generating a cropped image having in which the a vertical line count and a horizontal line count of the photographed image are adjusted to match matching the vertical line count and the horizontal line count of the television format; and
an image compression processing means for receiving the photographed image output from said imaging means, for compressing the photographed image such that the vertical line count and the horizontal line count of the photographed image match the vertical line count and the horizontal line count of the television format, and for generating a compressed image;
a switching means for selecting the cropped image generated by said image cropping means or the compressed image generated by said image compression processing means and for outputting the selected image; and
an enlargement processing means for enlarging ~~the cropped the selected~~ the selected image output from said switching means.

Claim 2 (Currently Amended) ~~An~~The image enlarging apparatus as described in claim 1, wherein ~~the said~~ the image cropping means specifies on the photographed image a start point at one corner of a rectangular cropped image and an end point at a diagonally opposite corner of the rectangular cropped image.

Claim 3 (Currently Amended) ~~An~~The image enlarging apparatus as described in claim 1, further comprising a cropping area determining means for setting ~~the a~~ a location of the image to be cropped ~~image in from~~ the photographed image.

Claim 4 (Cancelled)

Claim 5 (Currently Amended) An image enlarging method comprising ~~steps of:~~
producing a photographed image of a subject, wherein a vertical line count and a horizontal line count of the ~~output photographed image~~ are greater than a vertical line count and a horizontal line count of a television format;
cropping the photographed image and generating a cropped image having in which the a vertical line count and a horizontal line count of the photographed image are adjusted to match matching the vertical line count and the horizontal line count of the television format; and
compressing the photographed image such that the vertical line count and the horizontal line count of the photographed image match the vertical line count and the horizontal line count of the television format and generating a compressed image;
selecting the cropped image generated by said cropping of the photographed image or the compressed image generated by said compressing of the photographed image; and
enlarging ~~the cropped~~ the selected image.

Claim 6 (Currently Amended) ~~An~~The image enlarging method as described in claim 5, wherein ~~the image cropping process~~ said cropping of the photographed image further includes specifying ~~specifies~~ on the photographed image a start point at one corner of a rectangular cropped image and an end point at a diagonally opposite corner of the rectangular cropped image.

Claim 7 (Currently Amended) ~~An~~The image enlarging method as described in claim 5, further comprising ~~a step of~~ setting ~~the a~~ a location of the image to be cropped ~~image in from~~ the photographed image.

Claim 8 (Cancelled)

Claim 9 (New) An image enlarging apparatus comprising:

an image quality processor operable to output a photographed image of a subject, wherein a vertical line count and a horizontal line count of the photographed image are greater than a vertical line count and a horizontal line count of a television format;

an image trimming circuit operable to receive the photographed image output from said image quality processor, operable to crop the photographed image, and operable to generate a cropped image having a vertical line count and a horizontal line count matching the vertical line count and the horizontal line count of the television format;

an image signal processing circuit operable to receive the photographed image output from said image quality processor, operable to compress the photographed image such that the vertical line count and the horizontal line count of the photographed image match the vertical line count and the horizontal line count of the television format, and operable to generate a compressed image;

a switch operable to select the cropped image generated by said image trimming circuit or the compressed image generated by said image signal processing circuit and output the selected image; and

an image sizing circuit operable to receive the selected image output from said switch and operable to enlarge the selected image.

Claim 10 (New) The image enlarging apparatus as described in claim 9, wherein said image trimming circuit is further operable to specify on the photographed image a start point at one corner of a rectangular cropped image and an end point at a diagonally opposite corner of the rectangular cropped image.

Claim 11 (New) The image enlarging apparatus as described in claim 9, further comprising an operating unit operable to set a location of the image to be cropped from the photographed image.